


REZNOR®

Greenhouse Heating



Reznor® Model UDAS Premium Greenhouse Unit Heater



Description

Reznor® V3 Series Model UDAS High Efficiency Greenhouse Heater. These gas-fired separated combustion unit heaters are the ULTIMATE GREENHOUSE HEATER. By separating the flame from the air inside the greenhouse, you are assured of the long life and highest seasonal efficiency possible. Air for combustion comes from outside the greenhouse. Another great benefit is the burner is undisturbed if exhaust fans are turned on! They are available in 14 sizes ranging from 30,000 to 400,000 BTUH gas input.

All sizes are CSA Design Certified.


Model UDAS heaters are designed for **82-83% thermal efficiency.**

Reznor® V3 Series unit heaters have a refreshing new appearance with a glossy white cabinet finish

Features

- **82-83% Thermal efficient** Saves on Operating Costs
- Rubber Isolated fan and venter motors. The Quietest Unit Heater Available
- Certified for commercial applications Reliable Operation
- NEW T_{CORE}²⁰ design aluminized steel heat exchanger Long Greenhouse Service Life
- NEW T_{CORE}²⁰ single burner Easy To Convert To LP Gas
- Low Profile cabinet design More Room For Plants
- Corrosion Resistant Super-Gloss Finish Long Greenhouse Service Life
- All components are Enclosed Inside Cabinet Improved Reliability, Greenhouse Resistant
- Integrated circuit board with diagnostic indicator lights . Easy To Service
- Multi-try direct ignition with 100% lockout Improved Reliability
- Fan relay (included on the circuit board) Provides for Summer Air Circulation, Healthy Plants
- 2-point or 4-point Suspension ~ standard on all sizes Quick And Easy To Install
- External low voltage terminal strip Quick and Easy 24-Volt Wiring
- External gas connection Quick and Easy Gas Piping
- Full fan guard Engineered for Safety
- Reznor's Original Concentric Adapter Assembly The exhaust and inlet air pass through only one hole in the wall or roof
- Side Service Access Can be mounted on flat surface
- External Disconnect Switch Convenient safe service access

Benefits



Optional Features

- 409 or 316 Stainless steel heat exchangers available
- Totally enclosed fan motor available
- LP Gas conversion kits, Easy To Convert To Propane
- Master/Slave controls for controlling up to six unit Heaters
- Hanger kits for 1" pipe or Ceiling Mounting Brackets
- Vertical Louvers

Reznor® Model UDAP Greenhouse Unit Heater

Description

Reznor® V3 Series Model UDAP High Efficiency Greenhouse Heater. This model is excellent for greenhouse heating applications where the greenhouse has relatively high amounts of outside ventilation air. These gas-fired unit heaters are power vented to eliminate heat losses up the flue pipe. Power vented models have a higher initial cost than similar "Gravity" vented models but can have a lower installed cost. They are available in 14 sizes ranging from 30,000 to 400,000 BTUH gas input.

All sizes are CSA Design Certified.

Model UDAP heaters are designed for **82-83% thermal efficiency**.

Reznor® V3 Series unit heaters have a refreshing new appearance with a glossy white cabinet finish

Features

Benefits

- **82-83% Thermal efficient**..... Saves on Operating Costs
- Rubber Isolated fan and venter motors. The Quietest Unit Heater Available
- Certified for commercial applications Reliable Operation
- NEW Tcore²⁰ design aluminized steel heat exchanger Long Greenhouse Service Life
- NEW Tcore²⁰ single burner Easy To Convert To LP Gas
- Low Profile cabinet design More Room For Plants
- Corrosion Resistant Super-Gloss Finish Long Greenhouse Service Life
- All components are Enclosed Inside Cabinet Improved Reliability, Greenhouse Resistant
- Integrated circuit board with diagnostic indicator lights . Easy To Service
- Multi-try direct ignition with 100% lockout Improved Reliability
- Fan relay (included on the circuit board) Provides Constant Air Circulation, Healthy Plants
- 2-pt or 4-pt Suspension ~ standard on all sizes Quick And Easy To Install
- External low voltage terminal strip Quick and Easy 24-Volt Wiring
- External gas connection Quick and Easy Gas Piping
- Full fan guard Engineered for Safety
- Side Service Access Can be mounted on flat surface



Optional Features

- 409 or 316 Stainless steel heat exchangers available
- Totally enclosed fan motor available
- LP Gas conversion kits, Easy To Convert To Propane
- Master/Slave controls for controlling up to six unit Heaters
- Hanger kits for 1" pipe or Ceiling Mounting Brackets
- Vertical Louvers

REZNOR®

Reznor® Model F Draft Vented Greenhouse Unit Heater

Description

Reznor® **Venturion** Series Model F Greenhouse Heater. These gas-fired unit heaters are the Original Greenhouse heaters. The Model F unit heaters are gravity vented (Less Moving Parts) and come available in standing pilot (see the flame) or optional electronic spark ignition (saves fuel). Up to six unit heaters can be controlled from one thermostat (for large or long enclosures). They are available in 14 sizes ranging from 30,000 to 400,000 BTUH gas input.

All sizes are CSA Design Certified.

Features

- 80% Thermally Efficient Saves on Fuel Costs
- Gravity-Vented Easy to Maintain
- Certified for commercial applications Reliable Operation
- Die Formed aluminized steel heat exchanger ... Long Greenhouse Service Life
- Bottom Access Ribbon Burner Easy To Maintain
- 2-point Suspension Quick And Easy To Install
- External low voltage terminal strip Quick and Easy 24-Volt Wiring
- External gas connection Quick and Easy Gas Piping
- Full fan guard Engineered for Safety
- Draft Hood Venting Assembly Less susceptible to wind problems
- Standing Pilot Reliable operation

Benefits



Optional Features

- 409 Stainless steel heat exchangers available
- Totally enclosed fan motor available
- LP Gas conversion kits, Easy To Convert To Propane
- Master/Slave controls for controlling up to six unit Heaters
- Hanger kits for 1" pipe or Ceiling Mounting Brackets
- 4-point Suspension
- Pullcord Summer Fan Only control
- Factory Certified Vent Caps
- Vertical Louvers

Reznor® WS Hydronic Greenhouse Unit Heater

Description

Reznor® Model WS Greenhouse Heater. These WS Models are of the highest quality Hydronic heaters on the market. The Model WS unit heaters feature thick walled large diameter copper tubing (Long Life) and aluminum fins. Units can be mounted vertically or horizontally. They are available in 9 sizes ranging from 13,000 to 350,000 BTUH.

All units are fully compatible with steam or hot water. Every unit's fan can be operated at low (quieter operation) or high speed (increased heating capacity).



Features

- **Two Speed Fan Operation** Adjustable for best heat distribution
- Totally Enclosed fan motors Maintenance free, moisture resistant
- UL & CE Certified Safe, Reliable Operation
- Thick Wall Tubing of Heat exchanger Long Greenhouse Service Life and pressure capability
- Cabinet of galvanized pre-painted steel..... Corrosion resistant
- Vertical or Horizontal Mounting Flexible installation for your application
- Internal Overload Protection Fewer worries from power spikes
- Fins wide spaced Easy Cleaning
- Full fan finger-guard Engineered for Safety
- Heat Exchanger Assembly Painted Long Lasting / better thermal output
- Fans Vibration Isolated Quieter Operation

Benefits

Optional Features

- Flow Induction Optimizer
- Explosion Resistant fan motor available
- Door Curtain Adapter

800-695-1901

www.ReznorOnLine.com

©2002 Thomas & Betts Corp. All rights reserved. Printed in U.S.A.
Reznor is registered in the United States and other countries
10/02 PB QP RZ-NA-B-GH

Thomas & Betts